

Technical Report

prepared for:

Sullivan County Labs
86 Queen Mountain Road
Ferndale NY, 12734
Attention: Jerry Berger

Report Date: 04/14/2023
Client Project ID: X51060-05/30033
York Project (SDG) No.: 23D0355

CT Cert. No. PH-0723

New Jersey Cert. No. CT005 and NY037



New York Cert. Nos. 10854 and 12058

PA Cert. No. 68-04440

120 RESEARCH DRIVE
www.YORKLAB.com

STRATFORD, CT 06615
(203) 325-1371



132-02 89th AVENUE
FAX (203) 357-0166

RICHMOND HILL, NY 11418
ClientServices@yorklab.com

Report Date: 04/14/2023
Client Project ID: X51060-05/30033
York Project (SDG) No.: 23D0355

Sullivan County Labs
86 Queen Mountain Road
Ferndale NY, 12734
Attention: Jerry Berger

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on April 06, 2023 and listed below. The project was identified as your project: **X51060-05/30033**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
23D0355-01	S000144023	Drinking Water	04/06/2023	04/06/2023
23D0355-02	S000144027	Drinking Water	04/06/2023	04/06/2023
23D0355-03	S000144029	Drinking Water	04/06/2023	04/06/2023
23D0355-04	S000144030	Drinking Water	04/06/2023	04/06/2023
23D0355-05	S000145680	Drinking Water	04/06/2023	04/06/2023
23D0355-06	S000147957	Drinking Water	04/06/2023	04/06/2023
23D0355-07	S000147958	Drinking Water	04/06/2023	04/06/2023
23D0355-08	S000149761	Drinking Water	04/06/2023	04/06/2023
23D0355-09	S000149770	Drinking Water	04/06/2023	04/06/2023
23D0355-10	S000149772	Drinking Water	04/06/2023	04/06/2023
23D0355-11	S000151142	Drinking Water	04/06/2023	04/06/2023
23D0355-12	S000151151	Drinking Water	04/06/2023	04/06/2023
23D0355-13	S000151153	Drinking Water	04/06/2023	04/06/2023
23D0355-14	S000151158	Drinking Water	04/06/2023	04/06/2023
23D0355-15	S000151159	Drinking Water	04/06/2023	04/06/2023
23D0355-16	S000151168	Drinking Water	04/06/2023	04/06/2023
23D0355-17	S000151171	Drinking Water	04/06/2023	04/06/2023
23D0355-18	S000151175	Drinking Water	04/06/2023	04/06/2023
23D0355-19	S000151176	Drinking Water	04/06/2023	04/06/2023
23D0355-20	S000151183	Drinking Water	04/06/2023	04/06/2023
23D0355-21	S000151191	Drinking Water	04/06/2023	04/06/2023
23D0355-22	S000151192	Drinking Water	04/06/2023	04/06/2023

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
23D0355-23	S000151194	Drinking Water	04/06/2023	04/06/2023
23D0355-24	S000151203	Drinking Water	04/06/2023	04/06/2023
23D0355-25	S000151205	Drinking Water	04/06/2023	04/06/2023
23D0355-26	S000151207	Drinking Water	04/06/2023	04/06/2023
23D0355-27	S000151208	Drinking Water	04/06/2023	04/06/2023
23D0355-28	S000151209	Drinking Water	04/06/2023	04/06/2023
23D0355-29	S000151210	Drinking Water	04/06/2023	04/06/2023
23D0355-30	S000151216	Drinking Water	04/06/2023	04/06/2023
23D0355-31	S000151221	Drinking Water	04/06/2023	04/06/2023
23D0355-32	S000151226	Drinking Water	04/06/2023	04/06/2023
23D0355-33	S000151228	Drinking Water	04/06/2023	04/06/2023
23D0355-34	S000153330	Drinking Water	04/06/2023	04/06/2023
23D0355-35	S000153331	Drinking Water	04/06/2023	04/06/2023
23D0355-36	S000153332	Drinking Water	04/06/2023	04/06/2023
23D0355-37	S000153337	Drinking Water	04/06/2023	04/06/2023
23D0355-38	S000153344	Drinking Water	04/06/2023	04/06/2023
23D0355-39	S000153374	Drinking Water	04/06/2023	04/06/2023
23D0355-40	S000153392	Drinking Water	04/06/2023	04/06/2023

General Notes for York Project (SDG) No.: 23D0355


1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
8. Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058.

Approved By: 

Date: 04/14/2023

Cassie L. Mosher
Laboratory Manager





Sample Information

Client Sample ID: S000144023

York Sample ID: 23D0355-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	3.66		ug/L	1.00	1	EPA 200.8	04/13/2023 10:58	04/13/2023 15:08	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000144027

York Sample ID: 23D0355-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8	04/13/2023 10:58	04/13/2023 15:10	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000144029

York Sample ID: 23D0355-03

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	1.52		ug/L	1.00	1	EPA 200.8	04/13/2023 10:58	04/13/2023 15:11	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000144030

York Sample ID: 23D0355-04

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received


23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023



Sample Information

Client Sample ID: S000144030

York Sample ID: 23D0355-04

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:58	04/13/2023 15:12	AJL

Sample Information

Client Sample ID: S000145680

York Sample ID: 23D0355-05

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	22.9	M-PbE X	ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:58	04/13/2023 15:14	AJL

Sample Information

Client Sample ID: S000147957

York Sample ID: 23D0355-06

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:58	04/13/2023 15:15	AJL

Sample Information

Client Sample ID: S000147958

York Sample ID: 23D0355-07

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water


April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:



Sample Information

Client Sample ID: S000147958

York Sample ID: 23D0355-07

<u>York Project (SDG) No.</u>	<u>Client Project ID</u>	<u>Matrix</u>	<u>Collection Date/Time</u>	<u>Date Received</u>
23D0355	X51060-05/30033	Drinking Water	April 6, 2023 6:05 am	04/06/2023

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:58	04/13/2023 15:16	AJL

Sample Information

Client Sample ID: S000149761

York Sample ID: 23D0355-08

<u>York Project (SDG) No.</u>	<u>Client Project ID</u>	<u>Matrix</u>	<u>Collection Date/Time</u>	<u>Date Received</u>
23D0355	X51060-05/30033	Drinking Water	April 6, 2023 6:05 am	04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	2.96		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:58	04/13/2023 15:20	AJL

Sample Information

Client Sample ID: S000149770

York Sample ID: 23D0355-09

<u>York Project (SDG) No.</u>	<u>Client Project ID</u>	<u>Matrix</u>	<u>Collection Date/Time</u>	<u>Date Received</u>
23D0355	X51060-05/30033	Drinking Water	April 6, 2023 6:05 am	04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:58	04/13/2023 15:22	AJL

Sample Information

Client Sample ID: S000149772

York Sample ID: 23D0355-10

<u>York Project (SDG) No.</u>	<u>Client Project ID</u>	<u>Matrix</u>	<u>Collection Date/Time</u>	<u>Date Received</u>
23D0355	X51060-05/30033	Drinking Water	April 6, 2023 6:05 am	04/06/2023


Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	--------------------	----------	------------------	-----------------------	-----------------------	---------



Sample Information

Client Sample ID: S000149772

York Sample ID: 23D0355-10

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	2.57		ug/L	1.00	1	EPA 200.8	04/13/2023 10:58	04/13/2023 15:23	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151142

York Sample ID: 23D0355-11

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	1.10		ug/L	1.00	1	EPA 200.8	04/13/2023 10:58	04/13/2023 15:24	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151151

York Sample ID: 23D0355-12

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	1.04		ug/L	1.00	1	EPA 200.8	04/13/2023 10:58	04/13/2023 15:26	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151153

York Sample ID: 23D0355-13

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water


April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:



Sample Information

Client Sample ID: S000151153

York Sample ID: 23D0355-13

<u>York Project (SDG) No.</u> 23D0355	<u>Client Project ID</u> X51060-05/30033	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> April 6, 2023 6:05 am	<u>Date Received</u> 04/06/2023
--	---	---------------------------------	--	------------------------------------

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:58	04/13/2023 15:27	AJL

Sample Information

Client Sample ID: S000151158

York Sample ID: 23D0355-14

<u>York Project (SDG) No.</u> 23D0355	<u>Client Project ID</u> X51060-05/30033	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> April 6, 2023 6:05 am	<u>Date Received</u> 04/06/2023
--	---	---------------------------------	--	------------------------------------

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:58	04/13/2023 15:28	AJL

Sample Information

Client Sample ID: S000151159

York Sample ID: 23D0355-15

<u>York Project (SDG) No.</u> 23D0355	<u>Client Project ID</u> X51060-05/30033	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> April 6, 2023 6:05 am	<u>Date Received</u> 04/06/2023
--	---	---------------------------------	--	------------------------------------

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	1.30		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:58	04/13/2023 15:29	AJL

Sample Information

Client Sample ID: S000151168

York Sample ID: 23D0355-16

<u>York Project (SDG) No.</u> 23D0355	<u>Client Project ID</u> X51060-05/30033	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> April 6, 2023 6:05 am	<u>Date Received</u> 04/06/2023
--	---	---------------------------------	--	------------------------------------


Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	--------------------	----------	------------------	-----------------------	-----------------------	---------



Sample Information

Client Sample ID: S000151168

York Sample ID: 23D0355-16

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	2.48		ug/L	1.00	1	EPA 200.8	04/13/2023 10:59	04/14/2023 11:20	BML
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151171

York Sample ID: 23D0355-17

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8	04/13/2023 10:59	04/14/2023 11:23	BML
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151175

York Sample ID: 23D0355-18

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	2.32		ug/L	1.00	1	EPA 200.8	04/13/2023 10:59	04/14/2023 11:24	BML
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151176

York Sample ID: 23D0355-19

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water


April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:



Sample Information

Client Sample ID: S000151176

York Sample ID: 23D0355-19

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:59	04/14/2023 11:25	BML

Sample Information

Client Sample ID: S000151183

York Sample ID: 23D0355-20

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:59	04/14/2023 11:27	BML

Sample Information

Client Sample ID: S000151191

York Sample ID: 23D0355-21

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:59	04/14/2023 11:28	BML

Sample Information

Client Sample ID: S000151192

York Sample ID: 23D0355-22

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8


Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120 RESEARCH DRIVE		STRATFORD, CT 06615					132-02 89th AVENUE		RICHMOND HILL, NY 11418	
www.YORKLAB.com		(203) 325-1371					FAX (203) 357-0166		ClientServices@	



Sample Information

Client Sample ID: S000151192

York Sample ID: 23D0355-22

<u>York Project (SDG) No.</u> 23D0355	<u>Client Project ID</u> X51060-05/30033	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> April 6, 2023 6:05 am	<u>Date Received</u> 04/06/2023
--	---	---------------------------------	--	------------------------------------

7439-92-1	Lead	3.92	ug/L	1.00	1	EPA 200.8	04/13/2023 10:59	04/14/2023 11:29	BML
						Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151194

York Sample ID: 23D0355-23

<u>York Project (SDG) No.</u> 23D0355	<u>Client Project ID</u> X51060-05/30033	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> April 6, 2023 6:05 am	<u>Date Received</u> 04/06/2023
--	---	---------------------------------	--	------------------------------------

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	8.78		ug/L	1.00	1	EPA 200.8	04/13/2023 10:59	04/14/2023 11:33	BML
						Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP			

Sample Information

Client Sample ID: S000151203

York Sample ID: 23D0355-24

<u>York Project (SDG) No.</u> 23D0355	<u>Client Project ID</u> X51060-05/30033	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> April 6, 2023 6:05 am	<u>Date Received</u> 04/06/2023
--	---	---------------------------------	--	------------------------------------

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8	04/13/2023 10:59	04/14/2023 11:35	BML
						Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP			

Sample Information

Client Sample ID: S000151205

York Sample ID: 23D0355-25

<u>York Project (SDG) No.</u> 23D0355	<u>Client Project ID</u> X51060-05/30033	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> April 6, 2023 6:05 am	<u>Date Received</u> 04/06/2023
--	---	---------------------------------	--	------------------------------------


Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	3.55		ug/L	1.00	1	EPA 200.8	04/13/2023 10:59	04/14/2023 11:36	BML
						Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP			



Sample Information

Client Sample ID: S000151207

York Sample ID: 23D0355-26

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	1.93		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:59	04/14/2023 11:37	BML

Sample Information

Client Sample ID: S000151208

York Sample ID: 23D0355-27

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:59	04/14/2023 11:39	BML

Sample Information

Client Sample ID: S000151209

York Sample ID: 23D0355-28

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:59	04/14/2023 11:40	BML

Sample Information

Client Sample ID: S000151210

York Sample ID: 23D0355-29

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water


April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:



Sample Information

Client Sample ID: S000151210

York Sample ID: 23D0355-29

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:59	04/14/2023 11:41	BML

Sample Information

Client Sample ID: S000151216

York Sample ID: 23D0355-30

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	2.34		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:59	04/14/2023 11:43	BML

Sample Information

Client Sample ID: S000151221

York Sample ID: 23D0355-31

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	1.42		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:59	04/14/2023 11:44	BML

Sample Information

Client Sample ID: S000151226

York Sample ID: 23D0355-32

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8


Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	--------------------	----------	------------------	-----------------------	-----------------------	---------



Sample Information

Client Sample ID: S000151226

York Sample ID: 23D0355-32

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:59	04/14/2023 11:45	BML

Sample Information

Client Sample ID: S000151228

York Sample ID: 23D0355-33

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	1.01		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:59	04/14/2023 11:49	BML

Sample Information

Client Sample ID: S000153330

York Sample ID: 23D0355-34

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	5.64		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 10:59	04/14/2023 11:51	BML

Sample Information

Client Sample ID: S000153331

York Sample ID: 23D0355-35

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water


April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:



Sample Information

Client Sample ID: S000153331

York Sample ID: 23D0355-35

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	5.46		ug/L	1.00	1	EPA 200.8	04/13/2023 10:59	04/14/2023 11:52	BML
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000153332

York Sample ID: 23D0355-36

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	3.08		ug/L	1.00	1	EPA 200.8	04/13/2023 11:00	04/14/2023 11:59	BML
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000153337

York Sample ID: 23D0355-37

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	2.65		ug/L	1.00	1	EPA 200.8	04/13/2023 11:00	04/14/2023 12:00	BML
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000153344

York Sample ID: 23D0355-38

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8


Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	--------------------	----------	------------------	-----------------------	-----------------------	---------



Sample Information

Client Sample ID: S000153344

York Sample ID: 23D0355-38

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 11:00	04/14/2023 12:01	BML

Sample Information

Client Sample ID: S000153374

York Sample ID: 23D0355-39

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	124	M-BS, M-PbE X	ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 15:34	04/14/2023 13:54	BML

Sample Information

Client Sample ID: S000153392

York Sample ID: 23D0355-40

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0355

X51060-05/30033

Drinking Water

April 6, 2023 6:05 am

04/06/2023


Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/13/2023 11:00	04/14/2023 12:06	BML





Sample and Data Qualifiers Relating to This Work Order

PRES	Sample was received with no preservative and was preserved upon receipt at the laboratory. If for metals, the sample was allowed to sit for 18-24 hours before analysis.
M-PbEX	Lead result exceeds regulatory limit
M-BS	The recovery for this element in the batch blank spike recovered slightly outside of control limits

Definitions and Other Explanations

*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon current NELAC/TNI Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.



For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.





CHAIN-OF-CUSTODY
Analytical Request
Document

Chain-of-Custody is a LEGAL
DOCUMENT - Complete all
relevant fields

Company: AG ENVIRONMENTAL, RSC, LLC.

Sullivan County Labs

Address: 86 Queen Mountain Road, Ferndale

Billing Information:

Report To:

Email To:

results@sullivancountyllabs.com

Copy To:

Site Collection Info/Address:

115 Brickman Road

Customer Project Name/Number:

X51060-05 / 30033

Phone: 845.704.8151

Email: info@sullivancountyllabs.com

Collected By (print):

Collected By (signature):

Sample Disposal:

[] Dispose as appropriate

[] Return

[] Archive:

[] Hold:

[] Expedite Charges Apply

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID

Matrix *

Comp/Grab

Collected (or Composite Start)

Date

Time

Composite End

Date

Time

Res Cl

of Ctns

Wet

Blue

Dry

None

SHORT HOLDS PRESENT (<72 hours):

Y

N

N/A

LAB Sample Temperature Info:

Temp Blank Received:

Y

N

NA

Therm ID #:

Cooler 1 Temp Upon Receipt: °C

Cooler 1 Therm Corr. Factor: °C

Cooler 2 Temp Upon Receipt: °C

Cooler 2 Therm Corr. Factor: °C

Comments:

Code: 869.40

18.7

Trip Blank Received: Y

Other

ALL SHADED AREAS are for LAB USE ONLY

Container Preservative Type **

U U U U U U U U U

Lab Project Manager:

Analyses

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

ALL SHADED AREAS are for LAB USE ONLY

Container Preservative Type **

U U U U U U U U U

Lab Project Manager:

Analyses

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

ALL SHADED AREAS are for LAB USE ONLY

Container Preservative Type **

U U U U U U U U U

Lab Project Manager:

Analyses

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

ALL SHADED AREAS are for LAB USE ONLY

Container Preservative Type **

U U U U U U U U U

Lab Project Manager:

Analyses

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method

Lead [First Draw] by EPA 200.7/200.8 method



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL
DOCUMENT - Complete all
relevant fields

Company: **AG ENVIRONMENTAL, RSC, LLC.**
Sullivan County Labs
Address: **86 Queen Mountain Road, Ferndale**

Billing Information:

Report To:

Email To:

results@sullivancounty labs.com

Copy To:

Site Collection Info/Address:

115 Brickman Road

Customer Project Name/Number:

X51060-05 / 30033

Phone: 845.704.8151

Email: info@sullivancounty labs.com

Collected By (print):

Collected By (signature):

Purchase Order #:

Quote #:

Turnaround Date Required:

Rush:

[] Same Day [] Next Day

[] Return

[] Archive:

[] Hold:

(Expedite Charges Apply)

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW),

Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID

Matrix *

Compl/Grab

Collected (or Composite Start)

Date

Time

Composite End

Date

Time

Res Cl

of Ctns

Wet

Blue

Dry

None

Type of Ice Used:

Packing Material Used:

Radchem samples(s) screened (<500 cpm):

Y N NA

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Chain-of-Custody is a LEGAL
DOCUMENT - Complete all
relevant fields

Company: **AG ENVIRONMENTAL, RSC, LLC.**
Sullivan County Labs
Address: **86 Queen Mountain Road, Ferndale**

Billing Information:

Report To:

Email To:

results@sullivancounty labs.com

Copy To:

Site Collection Info/Address:

115 Brickman Road

Customer Project Name/Number:

X51060-05 / 30033

Phone: 845.704.8151

Email: info@sullivancounty labs.com

Collected By (print):

Collected By (signature):

Purchase Order #:

Quote #:

Turnaround Date Required:

Rush:

[] Same Day [] Next Day

[] Return

[] Archive:

[] Hold:

(Expedite Charges Apply)

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW),

Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID

Matrix *

Compl/Grab

Collected (or Composite Start)

Date

Time

Composite End

Date

Time

Res Cl

of Ctns

Wet

Blue

Dry

None

Type of Ice Used:

Packing Material Used:

Radchem samples(s) screened (<500 cpm):

Y N NA

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Chain-of-Custody is a LEGAL
DOCUMENT - Complete all
relevant fields

Company: **AG ENVIRONMENTAL, RSC, LLC.**
Sullivan County Labs
Address: **86 Queen Mountain Road, Ferndale**

Billing Information:

Report To:

Email To:

results@sullivancounty labs.com

Copy To:

Site Collection Info/Address:

115 Brickman Road

Customer Project Name/Number:

X51060-05 / 30033

Phone: 845.704.8151

Email: info@sullivancounty labs.com

Collected By (print):

Collected By (signature):

Purchase Order #:

Quote #:

Turnaround Date Required:

Rush:

[] Same Day [] Next Day

[] Return

[] Archive:

[] Hold:

(Expedite Charges Apply)

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW),

Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID

Matrix *

Compl/Grab

Collected (or Composite Start)

Date

Time

Composite End

Date

Time

Res Cl

of Ctns

Wet

Blue

Dry

None

Type of Ice Used:

Packing Material Used:

Radchem samples(s) screened (<500 cpm):

Y N NA

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Chain-of-Custody is a LEGAL
DOCUMENT - Complete all
relevant fields

Company: **AG ENVIRONMENTAL, RSC, LLC.**
Sullivan County Labs
Address: **86 Queen Mountain Road, Ferndale**

Billing Information:

Report To:

Email To:

results@sullivancounty labs.com

Copy To:

Site Collection Info/Address:

115 Brickman Road

Customer Project Name/Number:

X51060-05 / 30033

Phone: 845.704.8151

Email: info@sullivancounty labs.com

Collected By (print):

Collected By (signature):

Purchase Order #:

Quote #:

Turnaround Date Required:

Rush:

[] Same Day [] Next Day

[] Return

[] Archive:

[] Hold:

(Expedite Charges Apply)

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW),

Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID

Matrix *

Compl/Grab

Collected (or Composite Start)

Date

Time

Composite End

Date

Time

Res Cl

of Ctns

Wet

Blue

Dry

None

Type of Ice Used:

Packing Material Used:

Radchem samples(s) screened (<500 cpm):

Y N NA

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Chain-of-Custody is a LEGAL
DOCUMENT - Complete all
relevant fields

Company: **AG ENVIRONMENTAL, RSC, LLC.**
Sullivan County Labs
Address: **86 Queen Mountain Road, Ferndale**

Billing Information:

Report To:

Email To:

results@sullivancounty labs.com

Copy To:

Site Collection Info/Address:

115 Brickman Road

Customer Project Name/Number:

X51060-05 / 30033

Phone: 845.704.8151

Email: info@sullivancounty labs.com

Collected By (print):

Collected By (signature):

Purchase Order #:

Quote #:

Turnaround Date Required:

Rush:

[] Same Day [] Next Day

[] Return

[] Archive:

[] Hold:

(Expedite Charges Apply)

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW),

Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID

Matrix *

Compl/Grab

Collected (or Composite Start)

Date

Time

Composite End

Date

Time

Res Cl

of Ctns

Wet

Blue

Dry

None

Type of Ice Used:

Packing Material Used:

Radchem samples(s) screened (<500 cpm):

Y N NA

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

Chain-of-Custody is a LEGAL
DOCUMENT - Complete all
relevant fields

Company: **AG ENVIRONMENTAL, RSC, LLC.**
Sullivan County Labs
Address: **86 Queen Mountain Road, Ferndale**

Billing Information:

Report To:

Email To:

results@sullivancounty labs.com

Copy To:

Site Collection Info/Address:

115 Brickman Road

Customer Project Name/Number:

X51060-05 / 30033

Phone: 845.704.8151

Email: info@sullivancounty labs.com

Collected By (print):

Collected By (signature):

Purchase Order #:

Quote #:

Turnaround Date Required:

Rush:

[] Same Day [] Next Day

[] Return

[] Archive:

[] Hold:

(Expedite Charges Apply)

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW),

Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID

Matrix *

Compl/Grab

Collected (or Composite Start)

Date

