

Technical Report

prepared for:

Sullivan County Labs

86 Queen Mountain Road

Ferndale NY, 12734

Attention: Jerry Berger

Report Date: 04/13/2023

Client Project ID: X51060-04/29946

York Project (SDG) No.: 23D0359

CT Cert. No. PH-0723

New Jersey Cert. No. CT005 and NY037



New York Cert. Nos. 10854 and 12058

PA Cert. No. 68-04440

120 RESEARCH DRIVE
www.YORKLAB.com

STRATFORD, CT 06615
(203) 325-1371



132-02 89th AVENUE
FAX (203) 357-0166

RICHMOND HILL, NY 11418
ClientServices@yorklab.com

Report Date: 04/13/2023
Client Project ID: X51060-04/29946
York Project (SDG) No.: 23D0359

Sullivan County Labs
86 Queen Mountain Road
Ferndale NY, 12734
Attention: Jerry Berger

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on April 06, 2023 and listed below. The project was identified as your project: **X51060-04/29946**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
23D0359-01	S000144025	Drinking Water	04/05/2023	04/06/2023
23D0359-02	S000145606	Drinking Water	04/05/2023	04/06/2023
23D0359-03	S000145623	Drinking Water	04/05/2023	04/06/2023
23D0359-04	S000145628	Drinking Water	04/05/2023	04/06/2023
23D0359-05	S000145647	Drinking Water	04/05/2023	04/06/2023
23D0359-06	S000145692	Drinking Water	04/05/2023	04/06/2023
23D0359-07	S000147939	Drinking Water	04/05/2023	04/06/2023
23D0359-08	S000147975	Drinking Water	04/05/2023	04/06/2023
23D0359-09	S000149762	Drinking Water	04/05/2023	04/06/2023
23D0359-10	S000151110	Drinking Water	04/05/2023	04/06/2023
23D0359-11	S000151140	Drinking Water	04/05/2023	04/06/2023
23D0359-12	S000151141	Drinking Water	04/05/2023	04/06/2023
23D0359-13	S000151144	Drinking Water	04/05/2023	04/06/2023
23D0359-14	S000151145	Drinking Water	04/05/2023	04/06/2023
23D0359-15	S000151146	Drinking Water	04/05/2023	04/06/2023
23D0359-16	S000151147	Drinking Water	04/05/2023	04/06/2023
23D0359-17	S000151148	Drinking Water	04/05/2023	04/06/2023
23D0359-18	S000151149	Drinking Water	04/05/2023	04/06/2023
23D0359-19	S000151150	Drinking Water	04/05/2023	04/06/2023
23D0359-20	S000151152	Drinking Water	04/05/2023	04/06/2023
23D0359-21	S000151154	Drinking Water	04/05/2023	04/06/2023
23D0359-22	S000151156	Drinking Water	04/05/2023	04/06/2023

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
23D0359-23	S000151157	Drinking Water	04/05/2023	04/06/2023
23D0359-24	S000151162	Drinking Water	04/05/2023	04/06/2023
23D0359-25	S000151163	Drinking Water	04/05/2023	04/06/2023
23D0359-26	S000151165	Drinking Water	04/05/2023	04/06/2023
23D0359-27	S000151166	Drinking Water	04/05/2023	04/06/2023
23D0359-28	S000151174	Drinking Water	04/05/2023	04/06/2023
23D0359-29	S000151178	Drinking Water	04/05/2023	04/06/2023
23D0359-30	S000151179	Drinking Water	04/05/2023	04/06/2023
23D0359-31	S000151182	Drinking Water	04/05/2023	04/06/2023
23D0359-32	S000151184	Drinking Water	04/05/2023	04/06/2023
23D0359-33	S000151187	Drinking Water	04/05/2023	04/06/2023
23D0359-34	S000151202	Drinking Water	04/05/2023	04/06/2023
23D0359-35	S000151212	Drinking Water	04/05/2023	04/06/2023
23D0359-36	S000151214	Drinking Water	04/05/2023	04/06/2023
23D0359-37	S000151217	Drinking Water	04/05/2023	04/06/2023
23D0359-38	S000151218	Drinking Water	04/05/2023	04/06/2023
23D0359-39	S000151219	Drinking Water	04/05/2023	04/06/2023
23D0359-40	S000151223	Drinking Water	04/05/2023	04/06/2023
23D0359-41	S000151225	Drinking Water	04/05/2023	04/06/2023
23D0359-42	S000153341	Drinking Water	04/05/2023	04/06/2023
23D0359-43	S000153381	Drinking Water	04/05/2023	04/06/2023
23D0359-44	S000153385	Drinking Water	04/05/2023	04/06/2023
23D0359-45	S000153386	Drinking Water	04/05/2023	04/06/2023
23D0359-46	S000153404	Drinking Water	04/05/2023	04/06/2023
23D0359-47	S000153414	Drinking Water	04/05/2023	04/06/2023
23D0359-48	S000153430	Drinking Water	04/05/2023	04/06/2023
23D0359-49	S000153449	Drinking Water	04/05/2023	04/06/2023
23D0359-50	S000153478	Drinking Water	04/05/2023	04/06/2023

General Notes for York Project (SDG) No.: 23D0359

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
8. Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058.

Approved By: 

Date: 04/13/2023

Cassie L. Mosher
Laboratory Manager





Sample Information

Client Sample ID: S000144025

York Sample ID: 23D0359-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	1.62		ug/L	1.00	1	EPA 200.8	04/12/2023 09:46	04/12/2023 13:15	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000145606

York Sample ID: 23D0359-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:38 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8	04/12/2023 09:46	04/12/2023 13:17	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000145623

York Sample ID: 23D0359-03

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	12.8		ug/L	1.00	1	EPA 200.8	04/12/2023 09:46	04/12/2023 13:18	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000145628

York Sample ID: 23D0359-04

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023



Sample Information

Client Sample ID: S000145628

York Sample ID: 23D0359-04

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	12.6		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:46	04/12/2023 13:19	AJL

Sample Information

Client Sample ID: S000145647

York Sample ID: 23D0359-05

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:44 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	3.56		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:46	04/12/2023 13:21	AJL

Sample Information

Client Sample ID: S000145692

York Sample ID: 23D0359-06

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:28 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:46	04/12/2023 13:22	AJL

Sample Information

Client Sample ID: S000147939

York Sample ID: 23D0359-07

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:51 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:



Sample Information

Client Sample ID: S000147939

York Sample ID: 23D0359-07

<u>York Project (SDG) No.</u> 23D0359	<u>Client Project ID</u> X51060-04/29946	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> April 5, 2023 6:51 am	<u>Date Received</u> 04/06/2023
--	---	---------------------------------	--	------------------------------------

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	1.75		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:49	04/12/2023 13:31	AJL

Sample Information

Client Sample ID: S000147975

York Sample ID: 23D0359-08

<u>York Project (SDG) No.</u> 23D0359	<u>Client Project ID</u> X51060-04/29946	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> April 5, 2023 6:28 am	<u>Date Received</u> 04/06/2023
--	---	---------------------------------	--	------------------------------------

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	6.80		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:49	04/12/2023 13:34	AJL

Sample Information

Client Sample ID: S000149762

York Sample ID: 23D0359-09

<u>York Project (SDG) No.</u> 23D0359	<u>Client Project ID</u> X51060-04/29946	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> April 5, 2023 7:16 am	<u>Date Received</u> 04/06/2023
--	---	---------------------------------	--	------------------------------------

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:49	04/12/2023 13:35	AJL

Sample Information

Client Sample ID: S000151110

York Sample ID: 23D0359-10

<u>York Project (SDG) No.</u> 23D0359	<u>Client Project ID</u> X51060-04/29946	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> April 5, 2023 6:51 am	<u>Date Received</u> 04/06/2023
--	---	---------------------------------	--	------------------------------------

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	-----------------	----------	------------------	--------------------	--------------------	---------



Sample Information

Client Sample ID: S000151110

York Sample ID: 23D0359-10

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:51 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	6.70		ug/L	1.00	1	EPA 200.8	04/12/2023 09:49	04/12/2023 13:37	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151140

York Sample ID: 23D0359-11

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:57 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8	04/12/2023 09:49	04/12/2023 13:38	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151141

York Sample ID: 23D0359-12

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:38 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	17.3	M-PbE X	ug/L	1.00	1	EPA 200.8	04/12/2023 09:49	04/12/2023 13:39	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151144

York Sample ID: 23D0359-13

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water


April 5, 2023 6:57 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:



Sample Information

Client Sample ID: S000151144

York Sample ID: 23D0359-13

<u>York Project (SDG) No.</u> 23D0359	<u>Client Project ID</u> X51060-04/29946	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> April 5, 2023 6:57 am	<u>Date Received</u> 04/06/2023
--	---	---------------------------------	--	------------------------------------

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:49	04/12/2023 13:41	AJL

Sample Information

Client Sample ID: S000151145

York Sample ID: 23D0359-14

<u>York Project (SDG) No.</u> 23D0359	<u>Client Project ID</u> X51060-04/29946	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> April 5, 2023 6:44 am	<u>Date Received</u> 04/06/2023
--	---	---------------------------------	--	------------------------------------

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	1.42		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:49	04/12/2023 13:45	AJL

Sample Information

Client Sample ID: S000151146

York Sample ID: 23D0359-15

<u>York Project (SDG) No.</u> 23D0359	<u>Client Project ID</u> X51060-04/29946	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> April 5, 2023 6:28 am	<u>Date Received</u> 04/06/2023
--	---	---------------------------------	--	------------------------------------

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:49	04/12/2023 13:46	AJL

Sample Information

Client Sample ID: S000151147

York Sample ID: 23D0359-16

<u>York Project (SDG) No.</u> 23D0359	<u>Client Project ID</u> X51060-04/29946	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> April 5, 2023 6:11 am	<u>Date Received</u> 04/06/2023
--	---	---------------------------------	--	------------------------------------

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	--------------------	----------	------------------	-----------------------	-----------------------	---------



Sample Information

Client Sample ID: S000151147

York Sample ID: 23D0359-16

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:11 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	13.3		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:49	04/12/2023 13:47	AJL

Sample Information

Client Sample ID: S000151148

York Sample ID: 23D0359-17

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:51 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:49	04/12/2023 13:49	AJL

Sample Information

Client Sample ID: S000151149

York Sample ID: 23D0359-18

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:57 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	2.02		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:49	04/12/2023 13:50	AJL

Sample Information

Client Sample ID: S000151150

York Sample ID: 23D0359-19

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:



Sample Information

Client Sample ID: S000151150

York Sample ID: 23D0359-19

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	9.91		ug/L	1.00	1	EPA 200.8	04/12/2023 09:49	04/12/2023 13:51	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151152

York Sample ID: 23D0359-20

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:28 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	2.71		ug/L	1.00	1	EPA 200.8	04/12/2023 09:49	04/12/2023 13:53	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151154

York Sample ID: 23D0359-21

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	3.25		ug/L	1.00	1	EPA 200.8	04/12/2023 09:49	04/12/2023 13:54	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151156

York Sample ID: 23D0359-22

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:28 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	--------------------	----------	------------------	-----------------------	-----------------------	---------



Sample Information

Client Sample ID: S000151156

York Sample ID: 23D0359-22

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:28 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:49	04/12/2023 13:55	AJL

Sample Information

Client Sample ID: S000151157

York Sample ID: 23D0359-23

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	1.68		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:49	04/12/2023 13:57	AJL

Sample Information

Client Sample ID: S000151162

York Sample ID: 23D0359-24

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:38 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	2.61		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:49	04/12/2023 14:01	AJL

Sample Information

Client Sample ID: S000151163

York Sample ID: 23D0359-25

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:51 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:



Sample Information

Client Sample ID: S000151163

York Sample ID: 23D0359-25

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:51 am

04/06/2023

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	9.92		ug/L	1.00	1	EPA 200.8	04/12/2023 09:49	04/12/2023 14:02	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151165

York Sample ID: 23D0359-26

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:28 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	1.29		ug/L	1.00	1	EPA 200.8	04/12/2023 09:49	04/12/2023 14:04	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151166

York Sample ID: 23D0359-27

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:44 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	2.88		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:10	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151174

York Sample ID: 23D0359-28

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:28 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	--------------------	----------	------------------	-----------------------	-----------------------	---------



Sample Information

Client Sample ID: S000151174

York Sample ID: 23D0359-28

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:28 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:51	04/12/2023 14:13	AJL

Sample Information

Client Sample ID: S000151178

York Sample ID: 23D0359-29

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:11 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:51	04/12/2023 14:17	AJL

Sample Information

Client Sample ID: S000151179

York Sample ID: 23D0359-30

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	2.30		ug/L	1.00	1	EPA 200.8 Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP	04/12/2023 09:51	04/12/2023 14:18	AJL

Sample Information

Client Sample ID: S000151182

York Sample ID: 23D0359-31

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:51 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:



Sample Information

Client Sample ID: S000151182

York Sample ID: 23D0359-31

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:51 am

04/06/2023

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	7.41		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:20	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151184

York Sample ID: 23D0359-32

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:28 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:21	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151187

York Sample ID: 23D0359-33

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:11 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	4.18		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:22	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151202

York Sample ID: 23D0359-34

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:38 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	--------------------	----------	------------------	-----------------------	-----------------------	---------



Sample Information

Client Sample ID: S000151202

York Sample ID: 23D0359-34

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:38 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	2.00		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:24	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151212

York Sample ID: 23D0359-35

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:57 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	1.89		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:25	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151214

York Sample ID: 23D0359-36

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:26	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151217

York Sample ID: 23D0359-37

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water


April 5, 2023 6:38 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:



Sample Information

Client Sample ID: S000151217

York Sample ID: 23D0359-37

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:38 am

04/06/2023

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	4.74		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:28	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151218

York Sample ID: 23D0359-38

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:51 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:29	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151219

York Sample ID: 23D0359-39

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	5.55		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:33	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151223

York Sample ID: 23D0359-40

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	--------------------	----------	------------------	-----------------------	-----------------------	---------



Sample Information

Client Sample ID: S000151223

York Sample ID: 23D0359-40

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	2.82		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:34	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000151225

York Sample ID: 23D0359-41

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:36	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000153341

York Sample ID: 23D0359-42

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:38 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	5.56		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:37	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000153381

York Sample ID: 23D0359-43

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:57 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:



Sample Information

Client Sample ID: S000153381

York Sample ID: 23D0359-43

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:57 am

04/06/2023

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	4.83		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:38	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000153385

York Sample ID: 23D0359-44

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	1.62		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:40	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000153386

York Sample ID: 23D0359-45

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:57 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	2.70		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:41	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000153404

York Sample ID: 23D0359-46

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
---------	-----------	--------	------	-------	--------------------	----------	------------------	-----------------------	-----------------------	---------



Sample Information

Client Sample ID: S000153404

York Sample ID: 23D0359-46

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	2.42		ug/L	1.00	1	EPA 200.8	04/12/2023 09:51	04/12/2023 14:42	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000153414

York Sample ID: 23D0359-47

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	1.66		ug/L	1.00	1	EPA 200.8	04/12/2023 09:52	04/12/2023 14:52	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000153430

York Sample ID: 23D0359-48

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	72.1	M-PbE X	ug/L	1.00	1	EPA 200.8	04/12/2023 09:52	04/12/2023 14:53	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000153449

York Sample ID: 23D0359-49

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Lead by EPA 200.8

Log-in Notes: PRES

Sample Notes:



Sample Information

Client Sample ID: S000153449

York Sample ID: 23D0359-49

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 7:16 am

04/06/2023

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	2.88		ug/L	1.00	1	EPA 200.8	04/12/2023 09:52	04/12/2023 14:54	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		

Sample Information

Client Sample ID: S000153478

York Sample ID: 23D0359-50

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

23D0359

X51060-04/29946

Drinking Water

April 5, 2023 6:38 am

04/06/2023

Lead by EPA 200.8

Log-in Notes:

PRES

Sample Notes:

Sample Prepared by Method: EPA 200.8

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-92-1	Lead	ND		ug/L	1.00	1	EPA 200.8	04/12/2023 09:52	04/12/2023 14:56	AJL
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP,PADEP		





Sample and Data Qualifiers Relating to This Work Order

PRES	Sample was received with no preservative and was preserved upon receipt at the laboratory. If for metals, the sample was allowed to sit for 18-24 hours before analysis.
M-PbEX	Lead result exceeds regulatory limit

Definitions and Other Explanations

*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon current NELAC/TNI Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.





CHAIN-OF-CUSTODY
Analytical Request
Document

Chain-of-Custody is a LEGAL
DOCUMENT - Complete all
relevant fields

Company: AG ENVIRONMENTAL, RSC, LLC.

Sullivan County Labs

Address: 86 Queen Mountain Road, Ferndale

Billing Information:

Report To:

Email To:

results@sullivancountylabs.com

Copy To:

Site Collection Info/Address:

15 Old Falls Rd

Customer Project Name/Number:

X51060-04 / 29946

Phone: 845.704.8151

Email:

info@sullivancountylabs.com

Collected By (print):

Collected By (signature):

Purchase Order #:

Quote #:

Turnaround Date Required:

Rush:

[] Same Day [] Next Day

[] 2 Day [] 3 Day [] 4 Day [] 5 Day

[] Archive:

[] Hold:

(Expedite Charges Apply)

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp/Grab	Collected (or Composite Start)		Composite End	Res Cl	# of Ctns
			Date	Time	Date	Time	
S000151140	DW	G	04/05	06:57am			
S000151141	DW	G	04/05	06:38am			
S000151144	DW	G	04/05	06:57am			
S000151145	DW	G	04/05	06:44am			
S000151146	DW	G	04/05	06:28am			
S000151147	DW	G	04/05	06:11am			
S000151148	DW	G	04/05	06:51am			
S000151149	DW	G	04/05	06:57am			
S000151150	DW	G	04/05	07:16am			
S000151152	DW	G	04/05	06:28am			

Customer Remarks / Special Conditions / Possible Hazards:

• LCR Rule - First-Draw Lead

• LCR Rule - First-Draw Lead

Type of Ice Used:

Packing Material Used:

Radchem samples(s) screened (<500 cpm):

Y N NA

Received by/Company: (Signature)

Date/Time:

4/6/23 3:00

Received by/Company: (Signature)

Date/Time:

4/6/23 12:00

Received by/Company: (Signature)

Date/Time:

4/6/23 15:00

Received by/Company: (Signature)

Date/Time:

Container Preservative Type **

U U U U U U U U U U U U U U U U

Lab Project Manager:

** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

2300359

ALL SHADED AREAS are for LAB USE ONLY

Analyses

Lab Profile / Line:

Lab Sample Receipt Checklist:

Custody Seals Present/Intact

Custody Signatures Present

Collector Signatures Present

Bottles Intact

Correct Bottles

Sufficient Volume

Samples Received on Ice

VOA - Heapspace Acceptable

USDA Regulated Soils

Samples in Holding Time

Residual Chlorine Present

CL Strips:

Sample pH Acceptable

pH Strips:

Sulfide Present

Lead Acetate Strips:

LAB USE ONLY:

Lab Sample # / Comments:

Girls gang bathroom left sink (across from room 26)

Kitchen foot pedal sink

Girls gang bathroom right sink (across from room 26)

Kitchen bathroom sink

Cafe custodial room floor sink

Technology office bathroom sink

Boys gang bathroom sink right (across from room 27)

Room 26 sink

Room 3 left sink

Nurse's office bathroom sink

LAB Sample Temperature Info:

Temp Blank Received: Y N NA

Therm ID#:

Cooler 1 Temp Upon Receipt: 5.6°C

Cooler 1 Therm Corr. Factor: 0°C

Cooler 2 Corrected Temp: 0°C

Comments:

Code: 630.00

Trip Blank Received: Y N NA

HCL MeOH TSP Other

Non Conformance(s):

YES / NO

Page: 1 of 1

Page 25 of 28



Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Customer Remarks / Special Conditions / Possible Hazards:		Type of Ice Used:	Wet	Blue	Dry	N
LCR Rule - First-Draw Lead		Packing Material Used:				
LCR Rule - First-Draw Lead						
LCR Rule - First-Draw Lead		Radchem samples(s) screened (<500 cpm):			Y	N
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)				
Relinquished by/Company: (Signature)	Date/Time: 4/6/23 3:00	Received by/Company: (Signature)				
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)				

ALL SHADED AREAS are for LAB USE ONLY

2300359

Address: 86 Queen Mountain Road, Ferndale		Email To: results@sullivancountylabs.com				
Report To:		Site Collection Info/Address: 15 Old Falls Rd				
Copy To:		State: County/City: Time Zone Collected: New York / Sullivan [] PT [] MT [] CT [] ET				
Customer Project Name/Number: X51060-04 / 29946		Compliance Monitoring? <input type="checkbox"/> Yes <input type="checkbox"/> No				
Phone: 845.704.8151 Email: info@sullivancountylabs.com		DW PWS ID #: DW Location Code: Immediately Packed on Ice: <input type="checkbox"/> Yes <input type="checkbox"/> No				
Collected By (print):		Field Filtered (if applicable): <input type="checkbox"/> Yes <input type="checkbox"/> No				
Collected By (signature):		Analysis: _____				
Sample Disposal: <input type="checkbox"/> Dispose as appropriate <input type="checkbox"/> Return <input type="checkbox"/> Archive: _____ <input type="checkbox"/> Hold: _____		Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)				
Customer Sample ID	Matrix *	Comp/Grab	Collected for Composite Start	Composite End	Res Cl	# of Ctns
S000151154	DW	G	Date: 04/05 Time: 07:16am	Date: Time:		
S000151156	DW	G	Date: 04/05 Time: 06:28am	Date: Time:		
S000151157	DW	G	Date: 04/05 Time: 07:16am	Date: Time:		
S000151162	DW	G	Date: 04/05 Time: 06:38am	Date: Time:		
S000151163	DW	G	Date: 04/05 Time: 06:51am	Date: Time:		
S000151165	DW	G	Date: 04/05 Time: 06:28am	Date: Time:		
S000151166	DW	G	Date: 04/05 Time: 06:44am	Date: Time:		
S000151174	DW	G	Date: 04/05 Time: 06:28am	Date: Time:		
S000151178	DW	G	Date: 04/05 Time: 06:11am	Date: Time:		
S000151179	DW	G	Date: 04/05 Time: 07:16am	Date: Time:		

Customer Remarks / Special Conditions / Possible Hazards:		Type of Ice Used:	Wet	Blue	Dry	N
LCR Rule - First-Draw Lead		Packing Material Used:				
LCR Rule - First-Draw Lead						
LCR Rule - First-Draw Lead		Radchem samples(s) screened (<500 cpm):			Y	N
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)				
Relinquished by/Company: (Signature)	Date/Time: 4/6/23 3:00	Received by/Company: (Signature)				
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)				



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL
DOCUMENT - Complete all
relevant fields

Company: AG ENVIRONMENTAL, RSC, LLC.

Sullivan County Labs

Address: 86 Queen Mountain Road, Ferndale

Report To:

Email To:

results@sullivancounty labs.com

Copy To:

Site Collection Info/Address:

15 Old Falls Rd

Customer Project Name/Number:

X51060-04 / 29946

State:

New York / Sullivan

Time Zone Collected:

[] JPT [] JMT [] JCT [] JET

Phone: 845.704.8151

Site/Facility ID #:

Info@sullivancounty labs.com

Collected By (print):

Purchase Order #:

Quote #:

Turnaround Date Required:

Sample Disposal:

[] Same Day [] Next Day

[] 2 Day [] 3 Day [] 4 Day [] 5 Day

[] Archive:

[] Hold:

(Expedite Charges Apply)

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW),

Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Compliance Monitoring?

[] Yes [] No

DW PWS ID #:

DW Location Code:

Immediately Packed on Ice:

[] Yes [] No

Field Filtered (if applicable):

[] Yes [] No

Analysis:

of Cns

Res Cl

Composite End

Date

Time

Collected (or

Composite Start)

Date

Time

Matrix *

Comp/

Grab

Customer Sample ID

S000151182

DW

G

04/05

06:51am

S000151184

DW

G

04/05

06:28am

S000151187

DW

G

04/05

06:11am

S000151202

DW

G

04/05

06:38am

S000151212

DW

G

04/05

06:57am

S000151214

DW

G

04/05

06:16am

S000151217

DW

G

04/05

06:38am

S000151218

DW

G

04/05

06:51am

S000151219

DW

G

04/05

07:16am

S000151223

DW

G

04/05

07:16am

Customer Remarks / Special Conditions / Possible Hazards:

• LCR Rule - First-Draw Lead

• LCR Rule - First-Draw Lead

• LCR Rule - First-Draw Lead

• LCR Rule - First-Draw Lead

Relinquished by/Company: (Signature)

Date/Time:

Received by/Company: (Signature)

Date/Time:

Lab Tracking #:

Samples received via:

FEDEX UPS Client Courier Other

MTJ: LAB USE ONLY

Table #:

Type of Ice Used:

Wet Blue Dry None

Packing Material Used:

Radchem samples(s) screened (<500 cpm):

Y N NA

SHORT HOLDS PRESENT (<72 hours):

Y N N/A

Lab Sample Temperature Info:

Temp Blank Received: Y N NA

Therm ID#:

Cooler 1 Temp Upon Receipt: 5.6°C

Cooler 1 Therm Corr. Factor: °C

Cooler 2 Corrected Temp: °C

Comments:

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL
DOCUMENT - Complete all
relevant fields

Company: AG ENVIRONMENTAL, RSC, LLC.

Sullivan County Labs

Address: 86 Queen Mountain Road, Ferndale

Report To:

Email To:

results@sullivancounty labs.com

Copy To:

Site Collection Info/Address:

15 Old Falls Rd

Customer Project Name/Number:

X51060-04 / 29946

State:

New York / Sullivan

Time Zone Collected:

[] JPT [] JMT [] JCT [] JET

Phone: 845.704.8151

Site/Facility ID #:

Info@sullivancounty labs.com

Collected By (print):

Purchase Order #:

Quote #:

Turnaround Date Required:

Sample Disposal:

[] Same Day [] Next Day

[] 2 Day [] 3 Day [] 4 Day [] 5 Day

[] Archive:

[] Hold:

(Expedite Charges Apply)

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW),

Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Compliance Monitoring?

[] Yes [] No

DW PWS ID #:

DW Location Code:

Immediately Packed on Ice:

[] Yes [] No

Field Filtered (if applicable):

[] Yes [] No

Analysis:

of Cns

Res Cl

Composite End

Date

Time

Collected (or

Composite Start)

Date

Time

Matrix *

Comp/

Grab

Customer Sample ID

S000151182

DW

G

04/05

06:51am

S000151184

DW

G

04/05

06:28am

S000151187

DW

G

04/05

06:11am

S000151202

DW

G

04/05

06:38am

S000151212

DW

G

04/05

06:57am

S000151214

DW

G

04/05

06:16am

S000151217

DW

G

04/05

06:38am

S000151218

DW

G

04/05

06:51am

S000151219

DW

G

04/05

07:16am

S000151223

DW

G

04/05

07:16am

Customer Remarks / Special Conditions / Possible Hazards:

• LCR Rule - First-Draw Lead

• LCR Rule - First-Draw Lead

• LCR Rule - First-Draw Lead

• LCR Rule - First-Draw Lead

Relinquished by/Company: (Signature)

Date/Time:

Received by/Company: (Signature)

Date/Time:

Lab Tracking #:

Samples received via:

FEDEX UPS Client Courier Other

MTJ: LAB USE ONLY

Table #:

Type of Ice Used:

Wet Blue Dry None

Packing Material Used:

Radchem samples(s) screened (<500 cpm):

Y N NA

SHORT HOLDS PRESENT (<72 hours):

Y N N/A

Lab Sample Temperature Info:

Temp Blank Received: Y N NA

Therm ID#:

Cooler 1 Temp Upon Receipt: 5.6°C

Cooler 1 Therm Corr. Factor: °C

Cooler 2 Corrected Temp: °C

Comments:

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL
DOCUMENT - Complete all
relevant fields

Company: AG ENVIRONMENTAL, RSC, LLC.

Sullivan County Labs

Address: 86 Queen Mountain Road, Ferndale

Report To:

Email To:

results@sullivancounty labs.com

Copy To:

Site Collection Info/Address:

15 Old Falls Rd

Customer Project Name/Number:

X51060-04 / 29946

State:

New York / Sullivan

Time Zone Collected:

[] JPT [] JMT [] JCT [] JET

Phone: 845.704.8151

Site/Facility ID #:

Info@sullivancounty labs.com

Collected By (print):

Purchase Order #:

Quote #:

Turnaround Date Required:

Sample Disposal:

[] Same Day [] Next Day

[] 2 Day [] 3 Day [] 4 Day [] 5 Day

[] Archive:

[] Hold:

(Expedite Charges Apply)

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW),

Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Compliance Monitoring?

[] Yes [] No

DW PWS ID #:

DW Location Code:

Immediately Packed on Ice:

[] Yes [] No

Field Filtered (if applicable):

[] Yes [] No

Analysis:

of Cns

Res Cl

Composite End

Date

Time

Collected (or

Composite Start)

Date

Time

Matrix *

